

Main Devices:**ASM:AD-8312/AD-838/AD-828/EAGLE AP 60/Eagle XTREME/ETREME Go-****Cu/Eagle AREO**

| No. | Parts Description | QTY | Unit |
|-----|--|-----|------|
| 1 | HIPEC DUMMY FRONT PANEL ASSY | 3 | EA |
| 2 | KEYPAD ASSEMBLY | 3 | EA |
| 3 | (WH) INPUT CLAMP ASSY | 3 | EA |
| 4 | (WH) 2ND CLAMP ASSY FOR AD898 | 2 | EA |
| 5 | (WH) OUTPUT CLAMP ASSY | 4 | EA |
| 6 | (WH) INPUT CLAMP ASSY A12 | 1 | EA |
| 7 | (WH) OUTPUT CLAMP ASSY A12 | 1 | EA |
| 8 | (BH) MICRO-X COIL-4 (MAG6) ASSY | 3 | EA |
| 9 | (BA) BF VCM, COIL ASSY | 3 | EA |
| 10 | (BA) PF2 BOND ARM | 1 | EA |
| 11 | (WH) LF DROP-OFF ALIGNMENT(5.5MM STROKE) | 3 | EA |
| 12 | (BH)MICRO-X CABLE TRUNKING ASSY | 1 | PCS |
| 13 | LIGHT BOX ASSY WHITE P/N 01-30096-01 | 2 | EA |
| 14 | EPOXY WRITER OPTICS | 5 | EA |
| 15 | (OB) LIGHTING ASSY | 1 | EA |
| 16 | (BA) MICRO Z COIL ASSY | 3 | EA |
| 17 | (OU) CLAMP W/FLAG (36MM) | 2 | EA |
| 18 | PROGRESSIVE OPTICS FOV 24.8X18.6 KIT | 5 | EA |

| | | | |
|----|---------------------------------------|----|---------|
| 19 | EPOXY DISC ASSY L | 1 | EA |
| 20 | EPOXY DISC ASSY R | 1 | EA |
| 21 | LARGE BF ROTARY BA ASSY(AC SERVO MTR) | 4 | EA |
| 22 | MINI WIRE CLAMP AERO | 10 | EA |
| 23 | (IK83) INPUT KICKER | 4 | EA |
| 24 | 3/8 -8 LEADSCREW ASSY-160 | 1 | EA |
| 25 | (WT83) RING LOCK ASSY | 4 | EA |
| 26 | (WT83)EXPANDER DRIVING ASSY | 4 | EA |
| 27 | (WT83) RING LOCK SOL ASSY | 3 | EA |
| 28 | (WH83) OUTPUT SNR MNT ASSY | 2 | PC S |
| 29 | MOTORIZED ZOOM BOND OPTICS ASSY | 3 | EA |
| 30 | (WH83) IDX ADJUSTABLE CLAMP COIL ASSY | 4 | PC S |
| 31 | (WH83) BOND WINDOW CLAMP | 4 | EA |
| 32 | (WH83) Adjustable Clamp Disp | 2 | EA |
| 33 | (WH83) ADJUSTABLE IDX CLAMP BOND | 4 | EA |
| 34 | (WH83) AUX DISP AB_TILTING | 5 | EA |
| 35 | (WH83) DISP AB_TILTING | 5 | EA |
| 36 | LINEAR ENGAGE SENSOR ASSY | 1 | EA |
| 37 | MAC Archerfish (standard press) | 2 | EA |
| 38 | MAC HIGH VAC ARCHERFISH (LOW PRESS) | 4 | PC S |
| 39 | HIPEC-STEPPER CONTROL BOARD ASSY | 2 | EA |
| 40 | MBD724 STEPPER DRIVER KIT | 3 | EA |

| | | | |
|----|---|----|---------|
| 41 | MBD724 STEPPER DRIVER KIT | 8 | EA |
| 42 | SERIAL OUTPUT MODULE | 1 | EA |
| 43 | SERIAL INPUT MODULE | 3 | EA |
| 44 | HIPEC SERVO BOARD II ASSY | 5 | EA |
| 45 | HIPEC SERVO BOARD II ASSY | 10 | EA |
| 46 | HIPEC STEPPER BOARD II ASSY | 4 | EA |
| 47 | AC SERVP DROVER KIT (NEW HS) | 4 | EA |
| 48 | AC SERVO DRIVER KIT(NEW HS) | 4 | PC S |
| 49 | MBD724 STP DRV KIT (NEW HS, LOW-RIPPLE) | 1 | EA |
| 50 | MBD724 STEPPER DRIVER KIT (NEW HS) | 2 | EA |
| 51 | MBD724 STEPPER DRIVER KIT (NEW HS) | 3 | EA |
| 52 | PWM SO DRV W/SIO(HEAT REDUCTION VER.) | 1 | PC S |
| 53 | HIPEC STEPPER CONTROL BD IIA ASSY | 3 | EA |
| 54 | (IP) MTR HOME SNR ASSY. | 2 | EA |
| 55 | BHX COIL CABLE-DBH | 1 | EA |
| 56 | DDB-S ASSEMBLY WITH BRACKET | 4 | EA |
| 57 | DDB-S ASSEMBLY WITH BRACKET | 3 | EA |
| 58 | CPS DCDC 150VX8 LONG | 4 | EA |
| 59 | CPS DCDC 150VX6+75VX2 LONG HOLDUP | 2 | EA |
| 60 | BHY LINER ENCODER CABLE ASSY | 4 | EA |
| 61 | (LL) CPS PAPER EXIST SENSOR ASSY | 3 | PC S |
| 62 | (LL) CPS PAPER Z LIMIT SNR ASSY | 2 | EA |

| | | | |
|----|--|---|---------|
| 63 | LEFT DISPENSE CLAMP COIL ASSY | 1 | EA |
| 64 | SI BOARD ASSY | 2 | EA |
| 65 | WE T HOME SEN CABLE-SHU | 2 | EA |
| 66 | BA Y MTR ASSY | 3 | EA |
| 67 | BA Z MTR ASSY | 4 | EA |
| 68 | BH SUCK SOL. ASSY | 2 | EA |
| 69 | BH WEAK SOL. ASSY | 3 | EA |
| 70 | (WT) 8912 X ENCODER ASSY. | 2 | EA |
| 71 | 4 CH ENC/SNR DIST. BD (WITH COVER) | 4 | PC S |
| 72 | MIR CONVEY MTR ASSY | 4 | EA |
| 73 | ROTARY BONDARM CONN. CABLE ASSY | 4 | EA |
| 74 | MiniSIO | 4 | EA |
| 75 | MICORE ENCODER CABLE ASSY | 4 | EA |
| 76 | ST MAG GRIPPER DC MTR ASSY | 2 | EA |
| 77 | IE I/P EJT MTR ASSY | 4 | EA |
| 78 | AD830 STAMPING OISC MTR CABLE ASSY RIGHT | 1 | SE T |
| 79 | EXP DCM&ENC ASSY | 1 | EA |
| 80 | ALPHA650 DELAY ON ASSY | 4 | EA |
| 81 | ANW Y MTR ASSY | 4 | EA |
| 82 | SERVO/STEPPER DRIVER RACK | 1 | EA |
| 83 | SERVO/STEPPER DRIVER RACK | 1 | PC S |
| 84 | SERVO/STEPPER DRIVER RACK | 2 | EA |
| 85 | SERVO/STEPPER DRIVER RACK | 4 | EA |

| | | | |
|-----|--|---|---------|
| 86 | LVDT WITH CABLE ASSY | 4 | PC S |
| 87 | LVDT CONDITIONER/W COVER | 1 | PC S |
| 88 | (LL83)Z MTR | 5 | PC S |
| 89 | LF EXIST SENSOR | 4 | EA |
| 90 | AD8312 HIPEC#2 ASSY | 1 | EA |
| 91 | BA BF 3W-VCM COIL WITH THERMAL CONTROL | 3 | PC S |
| 92 | NOZZLE TYPE IONIZER ASSY | 2 | EA |
| 93 | BA BF 3W-VCM COIL WITH THERMAL CONTROL | 2 | PC S |
| 94 | LITEC TEMPERATURE CONTROLLER (A6D2 ST) | 2 | EA |
| 95 | (WH83) WC LOWER SENSOR, BOND | 5 | EA |
| 96 | (WH83) WC LOWER SENSOR, AUX DISP | 5 | EA |
| 97 | (EJ) Z MOTOR ASSY | 4 | EA |
| 98 | (WH) WAFER ID FIBER SENSOR CABLE | 3 | EA |
| 99 | 8-CH E-CORE TEMPERATURE CONTROLLER | 2 | EA |
| 100 | (WH83) DS MOTOR AND ENC ASSY. | 4 | EA |
| 101 | (AEW83) X MTR ASSY | 5 | EA |
| 102 | OUTPUT KICKER LINAR ENC ASSY | 2 | EA |
| 103 | BD INDEXER LINEAR ENC ASSY | 2 | EA |
| 104 | BHY LINEAR ENCODER CABLE ASSY | 2 | EA |
| 105 | PC KEYPAD MATRIX | 3 | EA |
| 106 | COAXIAL LED PANEL ASSY(WHITE) | 3 | EA |
| 107 | MULTI-FUNCTION BOARD III- LOW COST | 5 | EA |

| | | | |
|-----|------------------------------------|---|---------|
| 108 | LED DRIVER BOARD MARK III | 2 | EA |
| 109 | LED DRIVER BOARD MARK III | 3 | EA |
| 110 | MARK IIIS DRIVER BOARD II (MOSFET) | 2 | EA |
| 111 | PERSONALITY MODULE 1 BOARD | 1 | EA |
| 112 | PERSONALITY MODULE 1 BOARD | 7 | EA |
| 113 | PERSONALITY MODULE 1 BOARD | 2 | EA |
| 114 | C.P.S DC/DC BACKPLANE(8 SLOTS) | 4 | EA |
| 115 | C.P.S DC/DC BACKPLANE(8 SLOTS) | 3 | EA |
| 116 | 4 CHANNELS ENCODER/ADC DIST.BOARD | 2 | EA |
| 117 | C.P.S DC/DC BACKPLANE 11 SOCKET | 4 | EA |
| 118 | PERSONALITY MODULE 1 BOARD | 2 | SE T |
| 119 | PERSONALITY MODULE 1 BOARD | 4 | EA |
| 120 | GRABBER DISTRIBUTION BOARD 3 | 1 | EA |
| 121 | SD890A BHT SEN BOARD II | 3 | EA |
| 122 | PERSONALITY MODULE 1 BOARD | 3 | EA |
| 123 | PERSONALITY MODULE 1 BOARD | 4 | EA |
| 124 | PERSONALITY MODULE 1 BOARD | 4 | EA |
| 125 | PERSONALITY MODULE 1 BOARD(CHI) | 2 | EA |
| 126 | PERSONALITY MODULE 1 BOARD | 2 | EA |
| 127 | PERSONALITY MODULE 1 BOARD | 2 | EA |
| 128 | PERSONALITY MODULE 1 BOARD | 2 | EA |
| 129 | PERSONALITY MODULE 1 BOARD | 2 | EA |
| 130 | PERSONALITY MODULE 1 BOARD | 3 | EA |
| 131 | PERSONALITY MODULE 1 BOARD | 1 | EA |

| | | | |
|-----|---|---|---------|
| 132 | PERSONALITY MODULE 1 BOARD | 1 | EA |
| 133 | PERSONALITY MODULE 1 BOARD | 4 | EA |
| 134 | DCDC 150W 360V>75V 2A BOARD 2 | 4 | EA |
| 135 | B-SCREW 15-20X336X34X45, P-C3 | 4 | SE T |
| 136 | B-SCREW 15-20*336*34*45,P-C3 | 4 | SE T |
| 137 | DIE BONDER KEYPAD WIHT EXPOY COATING FOR ASM AD828 | 2 | EA |
| 138 | MINI KEYBOARD USB | 1 | PC S |
| 139 | PCA-6763VG AMD CPU SBC MOTHERBOARD | 2 | EA |
| 140 | MOD.NSK W1201FA-5P-C5Z10 BALL SCREW106 | 4 | EA |
| 141 | B-SCREW 12-10X97.5X24X44,P-C1 | 4 | SE T |
| 142 | B-SCREW 12-10*97.5*24*44,P-C1 | 3 | EA |
| 143 | WC Z LM ASSY | 3 | EA |
| 144 | FOV100X9.8 FOV 100X9.8 HDOA W/MUX CL | 1 | EA |
| 145 | (WE) 8912 G3 WAFER SNR CABLE ASSY | 2 | EA |
| 146 | (BA) PF2 CONTACT SNR CABLE ASSY | 2 | EA |
| 147 | (BA) PF2 VCM CABLE ASSY | 7 | EA |
| 148 | CAM SEN & WE T HM EXT CABLE(FLEX) | 2 | EA |
| 149 | WE SEN SWN CABLE (FLEX) | 2 | EA |
| 150 | WE SEN SWN CABLE IN CHAIN(FLEX) | 2 | EA |
| 151 | AD898 BH CONTACT CABLE | 3 | EA |
| 152 | 1ST REJECT TRAY PUSHER ENC CABLE ASSY for AD830 PLUS AD830PLUS-UGK | 1 | EA |
| 153 | KEYBOARD ADAPTOR CABLE | 2 | EA |

| | | | |
|-----|---|---|---------|
| 154 | BA BF VCM COIL CABLE | 1 | EA |
| 155 | BHZ HOME CONN SEN CABLE (FLEX) | 4 | EA |
| 156 | BAT H SNR EXT CABLE ASSY (FLEX) | 4 | EA |
| 157 | SL PAP,L/F&Z-BUF SEN CABLE (FLEX) | 1 | EA |
| 158 | EW W/C Z VCM CABLE (FLEX) | 4 | EA |
| 159 | BHT HM SEN CABLE FOR 03-21649 | 4 | EA |
| 160 | MI DC MTR EXT CABLE | 6 | EA |
| 161 | SMPS#1 TO MK3#1 CABLE ASSY | 5 | EA |
| 162 | SISO NETWORK CABLE ASSY2 | 4 | EA |
| 163 | BH VCM FLEX CABLE ASSY | 5 | EA |
| 164 | BHT HM SEN CABLE FOR 03-21649-01 | 3 | EA |
| 165 | BHT (M&ENC) CABLE (FLEX) ASSY. | 2 | EA |
| 166 | INNER STYLE (85-40024) I FLEX CABLE ASSY | 1 | EA |
| 167 | INNER STYLE (85-40024) II FLEX CABLE ASSY | 1 | EA |
| 168 | SERVO DRIVE POWER CABLE1 | 1 | SE T |
| 169 | CPS#1 PWR CABLE ASSY | 1 | SE T |
| 170 | EW/AEW LVDT SIGNAL CABLE (FLEX) | 4 | EA |
| 171 | DDB-S ASSEMBLY WITH BRACKET | 2 | EA |
| 172 | BALL BEARING 10X26X8 METRIC | 4 | EA |
| 173 | BALL FRICTIONLESS TABLE NDN 1-30.20 | 1 | EA |
| 174 | LM GUIDE 2SRS9MUUC1E+95LPM-II (B) | 5 | SE T |
| 175 | LM GUIDE 2SRS12MSSC1+220LPM-II | 7 | SE T |
| 176 | LM GUIDE SSR15XV2SSC1+110 LYSPM-II | 3 | EA |

| | | | |
|-----|---|----|-----|
| 177 | LINEAR WAY LWLFG18C4R960BE177 | 1 | EA |
| 178 | LM GUIDE 2SRS9MUUC1E+95LPM-11(OH,AFJ) | 1 | EA |
| 179 | LM GUIDE SRS15GMUUC1+172LM-II | 1 | SET |
| 180 | LM GUIDE 2SRS5MC1E+40LPM(OH, AFF) | 6 | SET |
| 181 | A/C BALL BEARING 12 X 28 X 8 | 4 | EA |
| 182 | A/C BALL BEARING 10X30X9 | 4 | SET |
| 183 | FLANGE BALL BEARING 5X10X4 METRIC | 2 | EA |
| 184 | BALL BEARING 8X19X6 698ZZ | 4 | EA |
| 185 | FLANGE BEARING 8X14X4? | 2 | EA |
| 186 | CAM FOLLOWER CF5MUUR | 14 | EA |
| 187 | BALL BEARING 1/8X3/8X5/32 R2ZZS FOR AD828 | 3 | EA |
| 188 | LM GUIDE HSR12 R 2UUM+150PM-II | 3 | SET |
| 189 | LM GUIDE HSR12R2UUC1M+140LSPM | 4 | EA |
| 190 | LM GUIDE LWLFG18 C4 R1110BE204 | 1 | EA |
| 191 | CROSS ROLLER WAY CRWM2-30 | 3 | EA |
| 192 | PULLEY CLAMP RING | 3 | EA |
| 193 | (PT) PV2 COLLET BODY - SQ2.7XSQ8 | 10 | EA |
| 194 | (BH) ANTI CREEP CROSS ROLLER | 3 | EA |
| 195 | BEARING RING | 21 | EA |
| 196 | B/H ANTI CREEP CROSS ROLLER CRWG3 | 7 | EA |
| 197 | PUSHING BAR | 10 | EA |
| 198 | WD 120LB_BEAM SPLITTER | 20 | EA |
| 199 | RUBBER ROLLER | 3 | EA |

| | | | |
|-----|--|-----------|---------|
| 200 | MAG Z HOLDER | 4 | EA |
| 201 | (EJ) 3.3MM VACUUM SEAL | 4 | EA |
| 202 | (WT) CONNECTOR SHAFT | 4 | EA |
| 203 | (WT) 8 INCH WAFER ORIENTATION PIN | 4 | PC S |
| 204 | MAG Z HOLOER | 1 | EA |
| 205 | ADJUSTENT PLATE | 1 | EA |
| 206 | Z MAG HOLOER FIX | 1 | EA |
| 207 | ADJUSTMENT PLATE | 1 | EA |
| 208 | (WH83) TILTING SCREW | 4 | EA |
| 209 | (WH83) TILTING SCREW WASHER | 4 | EA |
| 210 | (WH83) TILTING SCREW 2 | 4 | EA |
| 211 | BARB ELBOW M-3ALU-4 | 1 | EA |
| 212 | LIF 47R TOP OUTLET 519697-01 | 3 | EA |
| 213 | RGS20-S SCALE (SELF-ADHESIVE)1M~50M | 125 00 | M M |
| 214 | RGS-S SCALE (SELF-ADHESIVE) (1EA=500MM) | 2 | EA |
| 215 | SMPS 600W UNIV>5V,15VX2,24V2AX2,24V6AX2 | 2 | PC S |
| 216 | SMPS 600W400VDC>5V,15VX2,24V2AX2,24V6AX2 | 1 | PC S |
| 217 | DKN 45/41-8H7-14H7 BELLOW COUPLING | 4 | EA |
| 218 | O-RING 0.8*2.5 ID MM | 25 | EA |
| 219 | O-RING 1.5X14 ID MM | 25 | EA |
| 220 | O-RING 1.5*23 IDMM | 25 | EA |
| 221 | O-RING 1.8 X 6 ID MM A 50-EK NBR | 25 | EA |
| 222 | TIMING BELT 120TN10-1.0K | 8 | EA |

| | | | |
|-----|--|----|---------|
| 223 | TIMING BELT 4T | 25 | M |
| 224 | TIMING BELT 6 AT3/201 | 2 | EA |
| 225 | TIMING BELT 10 AT3/267 | 2 | EA |
| 226 | TIMING BELT? | 2 | EA |
| 227 | TIMING BELT A6R23M268060 | 7 | EA |
| 228 | (M1) Y LEADSCREW ASSY | 2 | EA |
| 229 | CLAMP PLATE ASSY | 2 | EA |
| 230 | (WE) LEADSCREW ASSY | 3 | EA |
| 231 | (OW) LIGHTING ASSY | 1 | EA |
| 232 | (EW) SYRINGE HOLDER UGK | 27 | EA |
| 233 | (LL) VACUUM ENTRY ASSY | 19 | PC S |
| 234 | HEATER BLOCK ASSY W40 | 2 | EA |
| 235 | (IP) PUSHER ASSY | 4 | EA |
| 236 | (BA83)BOND ARM G2 | 2 | SE T |
| 237 | (EJ)FAST FITTING TOOL | 5 | EA |
| 238 | (BA) BHT MOTOR ASSY | 7 | PC S |
| 239 | (WHSD2) OUTPUT KICKER ASSY G2 | 4 | EA |
| 240 | (EW) NOZZLE ORIENTATION KIT (HINGE_LVDT) | 9 | PC S |
| 241 | (WL83) LOADER CLAMP (NON CONTACT SENSOR) | 4 | EA |
| 242 | 809S O/P_ELEV. CLAMP DCM ASSY | 1 | EA |
| 243 | (SL) 889A Z MOTOR ASSY. | 2 | EA |
| 244 | (WE) WAFER ID SENSOR ASSY | 3 | EA |
| 245 | BHT MTR & ENC CABLE ASSY-A | 2 | EA |

| | | | |
|-----|--|-----|---------|
| 246 | (WE08) EXP DCM ASSY. | 3 | EA |
| 247 | (BH) Y REAR LIMIT SNR | 2 | PC S |
| 248 | (WL83) WAFER EXIST SNR | 4 | EA |
| 249 | (EJ) MP KIT - 0.72MM PITCH 4PIN | 3 | EA |
| 250 | BA LVDT TNC EXT CABLE | 4 | EA |
| 251 | CAM (A) FOR AD828 | 3 | EA |
| 252 | IDLE PULLY | 6 | EA |
| 253 | EXTENDED CLAMP (O/P CLAMP) | 3 | EA |
| 254 | EXTENDED LOWER CLAW (O/P CLAMP) | 3 | EA |
| 255 | ADJ. BLOCK | 2 | EA |
| 256 | (BH) Z GUIDE RAIL | 1 | EA |
| 257 | (MI) RUBBER PAD | 20 | EA |
| 258 | (BA) PV1 COLLECT BODY (A) | 4 | EA |
| 259 | (WE) DRIVING PULLEY (3MM HTD,12T) | 2 | EA |
| 260 | (WE)PULLEY CLAMP RING | 2 | EA |
| 261 | (WH) INPUT LOWER JAW (T008) | 1 | EA |
| 262 | (WH) OUTPUT LOWER JAW (T008_LP | 4 | EA |
| 263 | (EW) DISPOSABLE NOZZLE ADAPTOR -L=30MM | 6 | EA |
| 264 | (LL) ADJ BLOCK - LINGSEN | 2 | EA |
| 265 | (WH83) FT TRACK 3 for AD8312 | 4 | EA |
| 266 | (EW) DISPOSABLE NOZZLE ADAPTOR L30-UNI | 2 | EA |
| 267 | (IN) GRIPPER LS-PULLEY | 2 | EA |
| 268 | LEAD FRAME FOR WB EVALUATION | 175 | EA |
| 269 | VOICE COIL MOTOR | 4 | EA |

| | | | |
|-----|----------------------------------|----|---------|
| 270 | SPARK GENERATOR SG-50 ASSEMBLY | 4 | EA |
| 271 | AIR TENSIONER MODULE | 12 | EA |
| 272 | AIR TENSIONER MODULE | 11 | PC S |
| 273 | WIRE CLAMP FOR EAGLE | 15 | EA |
| 274 | AP WIRE CLAMP (A1 PLATES) FOR AP | 2 | EA |
| 275 | RT ADJUSTABLE BOLT ASSY-R | 10 | EA |
| 276 | Y LINEAR ENCODER ASSY | 9 | EA |
| 277 | WIRE CLAMP FOR EXTREME | 3 | EA |
| 278 | WIRE SPOOL SUB-ASSY (TRANSIENT) | 10 | EA |
| 279 | HARRIERXT WIRE SPOOL WHEEL ASSY | 5 | EA |
| 280 | GOLD WIRE BOX ASSY | 11 | PC S |
| 281 | E-TORCH HOLDER UNIT | 3 | SE T |
| 282 | FLANGE FREQUENCY ASSEMBLY KIT | 6 | EA |
| 283 | SPARK GENERATOR SG60 | 4 | EA |
| 284 | PANEL LIGHT SUB ASSY | 3 | EA |
| 285 | AIR TENSIONER ASSEMBLY-O/W | 14 | EA |
| 286 | MHC TRANSDUCER ASSEMBLY KIT | 3 | EA |
| 287 | 0.5MM C6 REINFORCED NOZZLE(XT) | 5 | EA |
| 288 | NORMAL WIRE CLAMP | 17 | EA |
| 289 | WIRE PATH STANDALONE CONTROLLER | 3 | EA |
| 290 | X ENCODER LINEAR SCALE SUB ASSY | 2 | EA |
| 291 | Y ENCODER LINEAR SCALE SUB ASSY | 2 | EA |
| 292 | MINI WIRE CLAMP MODULE | 5 | EA |

| | | | |
|-----|--|----|---------|
| 293 | AIR TENSIONER ASSY | 1 | EA |
| 294 | Aero ring light top assembly | 2 | EA |
| 295 | C5S Nozzle Reinforced 0.5mm. (Aero)(C5S air nozzle with0.5mm ignition rod) | 8 | EA |
| 296 | C5S REINFORCED NOZLE ASSY 0.5MM(XT/XP) | 6 | SE T |
| 297 | VGA CAMERA WITHOUT RELAY LENS | 1 | EA |
| 298 | R 0.5MM E-TORCH ASSY (W) | 35 | EA |
| 299 | Air Tensioner Assy | 6 | EA |
| 300 | AIR TENSIONER ASSY | 17 | EA |
| 301 | PIEZO NORMAL WCL | 10 | EA |
| 302 | BHT HM SEN ADAPTOR CABLE | 2 | EA |
| 303 | XYI DRIVERS FAN ASSY | 5 | EA |
| 304 | X TABLE MOTOR COIL ASSY | 4 | EA |
| 305 | RINGLIGHT SUB-ASSY 05-08(E50) | 5 | EA |
| 306 | RED COAXIAL LIGHT ASSY(E50) | 4 | EA |
| 307 | INDEXER SEARCH SNR ASSY | 9 | EA |
| 308 | FRONT FIXED CLAMP SOL ASSY | 4 | EA |
| 309 | Y TABLE VOICE COIL | 4 | PC S |
| 310 | 15VDC 1A SMPS FOR DUAL SERVO DRIVER | 8 | EA |
| 311 | Y TABLE MOTOR COIL ASSY | 2 | EA |
| 312 | LE. STEPPER DRIVER BD MODULE(CR_XT) FOR XTR | 3 | EA |
| 313 | RE.STEPPER DRIVER BD MODULE (CR_XT) FOR XTR | 1 | EA |
| 314 | WORK HOLDER CPU MODULE | 8 | PC S |
| 315 | R. BOND HEAD DRIVER MODULE | 5 | EA |

| | | | |
|-----|--|---|---------|
| 316 | INDEXER DRIVER MODULE(CR) | 1 | EA |
| 317 | INDEX MOTOR COIL ASSY | 9 | EA |
| 318 | X COIL BRACKAT ASSY | 3 | EA |
| 319 | MINIMAX IO ASSY | 4 | EA |
| 320 | BH COIL ASSY (FRAME CLAMP) | 1 | EA |
| 321 | BH/MINI WCL/PFM Driver (BH mini wire clamp,optic driver) | 4 | EA |
| 322 | USG-PZT DRIVER BOARD ASSEMBLY | 3 | EA |
| 323 | NUEAGLE 2 INDEX BOARD ASSEMBLY | 1 | EA |
| 324 | SMPS-33 66V10A,D24V12A,D48V3A,Q12V2A | 3 | PC S |
| 325 | HEATER ASSY (DC60V) | 4 | EA |
| 326 | WIRE SPOOL MTR W/A2S | 2 | EA |
| 327 | SINGLE HV 3.9K CABLE FOR XT-GOCU | 3 | EA |
| 328 | LEFT CLAW ASSY | 2 | EA |
| 329 | LEFT SOFT CLAMP ASSY | 3 | EA |
| 330 | RIGHT CLAW ASSY | 2 | EA |
| 331 | INDEXER LIMIT SENSOR ASSY | 2 | EA |
| 332 | Spark Generator SG-60 | 3 | EA |
| 333 | LITEC 1CH CJC BOARD ASSY (AERO) | 2 | EA |
| 334 | RINGLIGHT CABLE ASSY (GLASS TYPE RED) | 2 | EA |
| 335 | BH BODY CJC ASSY | 2 | EA |
| 336 | OPTICS CJC ASSY | 3 | EA |
| 337 | NUEAGLE2 XY DRIVER BOARD ASSEMBLY | 2 | EA |
| 338 | LVDT WITH CABLE ASSY | 2 | EA |
| 339 | LED DRIVER BOARD MARK II-LC-STD | 9 | EA |

| | | | |
|-----|---|-----|-----|
| 340 | ELEV. SERIALZER BOARD(HXT) | 1 | EA |
| 341 | ELEVATOR WITH SERIALIZE FOR EAGLE XP | 3 | EA |
| 342 | 12V TO 24V 1A DC-DC CONVERTER | 3 | EA |
| 343 | SILICON KEYPAD FOR EAGLE/TE SERIES M/C | 8 | EA |
| 344 | WIRE CLAMP TO WS (WC CONN) CABLE ASSY | 3 | PCS |
| 345 | WIRE CLAMP CABLE ASSY | 3 | EA |
| 346 | WIRE SPOOL CABLE ASSY | 4 | EA |
| 347 | MICROE ENCODER EXT CABLE | 3 | EA |
| 348 | LM GUIDE SRS9WMUUCS+116LPM (OH,AFF) | 3 | SET |
| 349 | CROSS ROLLER WAY CRWM3-50E76 | 2 | EA |
| 350 | TOP COVER | 6 | EA |
| 351 | UPPER REAR STOP | 23 | EA |
| 352 | WIRE SPOOL COVER | 3 | EA |
| 353 | Capillary screw | 100 | 支 |
| 354 | UPPER PU PAD | 30 | EA |
| 355 | SST WIRE GRID | 1 | EA |
| 356 | T JOINT /T-shaped plastic steel tee joint | 4 | EA |
| 357 | SENSOR BRACKET R | 25 | EA |
| 358 | HIGH ANTISTATIC FRONT COVER | 4 | PCS |
| 359 | MAG SPT | 2 | EA |
| 360 | MAG PAD | 3 | EA |
| 361 | SERVICE UNITAF40-03-A+Y400T-A+AFD40-03-A | 3 | SET |
| 362 | MICROE MERCURY 2000 SENSOR M2110H | 8 | EA |

| | | | |
|-----|--|-----|-----|
| 363 | LIF 471R ENCODER READHEAD 0.05UM | 4 | EA |
| 364 | SENSOR CHARGE AMPLIFIER 5030Q12 | 3 | EA |
| 365 | HDH PWM21 ENCODER DIAGNOSTIC KIT | 1 | EA |
| 366 | 2 POLES 4A ROTATING CONNECTOR | 5 | EA |
| 367 | 1 POLE ROTATING CONNECTOR | 15 | EA |
| 368 | SMPS 40W UNIV > 24V | 5 | EA |
| 369 | EXTENSION SPRING LE-026C-1MW | 9 | EA |
| 370 | Viton Flexible Tubing 1/8X1/4X1/16 | 10 | SET |
| 371 | CUPD WIRE 0.8MIL EX1P | 15 | EA |
| 372 | SPT CAPILARY SU2-28080-333E-RU34TP-300 | 125 | EA |
| 373 | C6SV3 0.8MM ETORCH (S2) | 13 | EA |
| 374 | MINI EJECTOR OPTIONAL MODULE (LOT3) | 2 | EA |
| 375 | MMX138 XDUCER CABLE ASSY | 11 | EA |
| 376 | CIM HB INSULATE PLATE | 1 | PCS |
| 377 | EJE.BAR | 1 | EA |
| 378 | DISC 2 | 3 | EA |