

atfs

```
Dec 21 11:34:14 t3235 utsc_sm_exit[8627]: notice utsc_sm_exit.c:299 session 'fsdiag_1' is going to be terminated.
Dec 21 11:34:15 t3235 utsc_sm_exit[8627]: notice utsc_sm_exit.c:317 session 'fsdiag_1' was terminated.
May 26 10:09:01 t3235 utsc_ipl[3069]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:09:01 t3235 utsc_calcon[3127]: notice utsc_calcon.c:1768 calcon file name      : /opt/ATFS/i386/linux/ATFSsys-6.31/etc/calcon_system.conf
May 26 10:09:01 t3235 utsc_calcon[3127]: notice utsc_calcon.c:1769 utsc_calcon listen port : 9906
May 26 10:09:01 t3235 utsc_calcon[3127]: notice utsc_calcon.c:1770 daemon mode      : 1
May 26 10:09:01 t3235 utsc_calcon[3127]: notice utsc_calcon.c:393 RS232C device name   : /dev/ttyS1
May 26 10:09:01 t3235 utsc_calcon[3127]: notice utsc_calcon.c:394 calcon bus name    :
May 26 10:09:01 t3235 utsc_calcon[3129]: notice ScCalConCom.c:422 open calcon(/dev/ttyS1): 5
May 26 10:09:01 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 *** ioctl (termio)
May 26 10:09:01 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280  c_iflag = IGNBRK IXON IXOFF IMAXBK
May 26 10:09:01 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280  c_oflag = OPOST
May 26 10:09:01 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280  c_lflag = ISIG ICANON
May 26 10:09:01 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280  c_cflag = CREAD PARENB PARODD CLOCAL CS7 B9600
May 26 10:09:01 t3235 utsc_gpib_launch[3219]: notice utsc_gpib_launch.c:89 execute /opt/ATFS/i386/linux/ATFSsys-6.31/bin/utsc_gpib-x86_64
May 26 10:09:01 t3235 utsc_gpib[3219]: notice utsc_gpib.c:2227 board no : 0
May 26 10:09:01 t3235 utsc_gpib[3219]: notice utsc_gpib.c:2228 port no  : 9910
May 26 10:09:01 t3235 utsc_gpib[3219]: notice utsc_gpib.c:2229 gpib file: /var/opt/ATFS/ATFSsys-6.31/tmp/gpib_merged.conf
May 26 10:09:01 t3235 utsc_gpib[3219]: notice utsc_gpib.c:2230 daemon m : 1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:2023 board number : 0
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:2024 board name  :
```

```
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:2025 board address : 0
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298 -- device information ----
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298 **DEVICE      : DMM
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   addr      : 25
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   client fd   : -1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   client host :
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   client uid  : -1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   client pid  : -1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   rsp   flag : 0
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   que   size : 64
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298 *OPT
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   tmo   : 5
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   stm   : 1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   sdIm  : CRLF+E0I
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   rdIm  : CRLF+E0I
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   unaddr : OFF
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   que   : 64
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298 **DEVICE      : PH1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   addr      : 1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   client fd   : -1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   client host :
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   client uid  : -1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298   client pid  : -1
```

```
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298  rsp  flag : 0
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298  que  size : 64
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298 *OPT
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298  tmo  : 5
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298  stm  : 1
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298  sdIm  : CRLF+E0I
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298  rdIm  : CRLF+E0I
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298  unaddr : OFF
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:298  que  : 64
May 26 10:09:01 t3235 utsc_gpib_launch[3231]: notice utsc_gpib_launch.c:89 execute /opt/ATFS/i386/linux/ATFSsys-6.31/bin/utsc_gpib-x86_64
May 26 10:09:01 t3235 utsc_gpib[3231]: notice utsc_gpib.c:2227 board no : 1
May 26 10:09:01 t3235 utsc_gpib[3231]: notice utsc_gpib.c:2228 port no : 9911
May 26 10:09:01 t3235 utsc_gpib[3231]: notice utsc_gpib.c:2229 gpib file: /var/opt/ATFS/ATFSsys-6.31/tmp/gpib_merged.conf
May 26 10:09:01 t3235 utsc_gpib[3231]: notice utsc_gpib.c:2230 daemon m : 1
May 26 10:09:01 t3235 utsc_gpib_1[3234]: notice utsc_gpib.c:2023 board number : 1
May 26 10:09:01 t3235 utsc_gpib_1[3234]: notice utsc_gpib.c:2024 board name :
May 26 10:09:01 t3235 utsc_gpib_1[3234]: notice utsc_gpib.c:2025 board address : 0
May 26 10:09:01 t3235 utsc_gpib_1[3234]: notice utsc_gpib.c:298 -- device information ----
May 26 10:09:01 t3235 utsc_gpib_1[3234]: err utsc_gpib.c:2037 not found GPIB I/F board: 1
May 26 10:09:01 t3235 utsc_lic[3295]: notice utsc_lic.c:1458 port num : 9975
May 26 10:09:01 t3235 utsc_lic[3295]: notice utsc_lic.c:1459 daemon m : 1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:221 evaluated resource config file: /var/opt/ATFS/ATFSsys-6.31/tmp/resources_merged.conf 56[resources]/60[lines]
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: BiMonitor_Chamber1_1
```

May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: BiMonitor_Chamber1_2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: BiMonitor_Chamber1_3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: BiMonitor_Chamber1_4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: CalController1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: DMM
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: PH1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: tester
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTBI_ExclusiveMainteAndMonitorTester1_1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTBI_ExclusiveMainteAndMonitorTester1_2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTBI_ExclusiveMainteAndMonitorTester1_3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTBI_ExclusiveMainteAndMonitorTester1_4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTBI_MonitorTester1_1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTBI_MonitorTester1_2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTBI_MonitorTester1_3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTBI_MonitorTester1_4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_ExecCondDailyFile
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_ExecCondFile
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess1_1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess1_2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess1_3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess1_4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess2_1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess2_2

May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess2_3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess2_4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess3_1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess3_2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess3_3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess3_4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess4_1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess4_2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess4_3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsMacroCellAccess4_4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsNvromAccess1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsNvromAccess2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsNvromAccess3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_PpsNvromAccess4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_StItLvcalAccess1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_StItLvcalAccess2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_StItLvcalAccess3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_StItLvcalAccess4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_StItNvromAccess1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_StItNvromAccess2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_StItNvromAccess3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_StItNvromAccess4
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_SystemConfFile

```
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTD_RESOURCE_SystemConfFilePartialExecution
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTSC_Fm_Data01
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UTSC_Fm_Data02
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UT_TestUnit1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UT_TestUnit2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UT_VTC_1
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UT_VTC_2
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UT_VTC_3
May 26 10:09:01 t3235 utsc_rm[3366]: notice utsc_rm.c:226 managed resource: UT_VTC_4
May 26 10:09:01 t3235 utsc_sigtwr[3422]: err ScSysSignalSv.c:1499 The server program isn't running: utsc_ss at 172.16.255.254:9907(Connection refused)
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3563 SS config file path      : /opt/ATFS/i386/linux/ATFSsys-6.31/T5833_MP/etc/systemmonitor.conf
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3564 SS listen port for client  : 9907
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3565 notified port for utsc_syn  : 9951
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3566 monitoring port for utsc_mon: 9952
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3567 port for utsc_bootsite   : 9953
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3568 full path of utsc_mon    : /opt/ATFS/i386/linux/ATFSsys-6.31/bin/utsc_mon
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3569 full path of utsc_ss_emu   : /opt/ATFS/i386/linux/ATFSsys-6.31/bin/utsc_se
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3570 full path of utsc_bootsite  : /opt/ATFS/i386/linux/ATFSsys-6.31/bin/utsc_bootsite
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3571 option file          : /var/opt/ATFS/ATFSsys-6.31/boot/bootsite.conf
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3572 siteinfo files directory :
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3573 bootsite download files  :
May 26 10:09:01 t3235 utsc_ss[3516]: notice utsc_ss.c:3574 daemon mode          : 1
May 26 10:09:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:1064 listen port   : 9953
```

May 26 10:09:01 t3235 utsc_se[3521]: notice utsc_ss_emu.c:4193 broadcast notified port : 9920
May 26 10:09:01 t3235 utsc_se[3521]: notice utsc_ss_emu.c:4194 pipe(input) from utsc_ss : 11
May 26 10:09:01 t3235 utsc_se[3521]: notice utsc_ss_emu.c:4195 pipe(output) to utsc_ss : 9
May 26 10:09:01 t3235 utsc_se[3521]: notice utsc_ss_emu.c:4196 conf file : /opt/ATFS/i386/linux/ATFSsys-6.31/T5833_MP/etc/systemmonitor.conf
May 26 10:09:01 t3235 utsc_se[3521]: notice utsc_ss_emu.c:4197 daemon mode : 0
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1450 broadcast notified port : 9951
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1451 site monitoring port : 9952
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1452 pipe(input) from utsc_ss : 9
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1453 pipe(output) to utsc_ss : 8
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1454 heart beat time : 20
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1455 heart beat max : 3
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1456 site info file dir : /var/opt/ATFS/ATFSsys-6.31/siteinfo
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1457 option : /opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh 1 100000 9953
/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/sitenetwork.sh
May 26 10:09:01 t3235 utsc_mon[3520]: notice utsc_mon.c:1458 daemon mode : 0
May 26 10:09:01 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:309 *** tcgetattr()
May 26 10:09:01 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:309 c_iflag = IGNBRK ICRNL IXON IXOFF IMAXBK
May 26 10:09:01 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:309 c_oflag = OPOST ONLCR
May 26 10:09:01 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:309 c_lflag = ISIG ICANON
May 26 10:09:01 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:309 c_cflag = CREAD PARENB CLOCAL CS8 B9600
May 26 10:09:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:1065 pipe(input) from utsc_ss : 13
May 26 10:09:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:1066 pipe(output) to utsc_ss : 11
May 26 10:09:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:1067 sitefile config file : /opt/ATFS/i386/linux/ATFSsys-6.31/etc/sitefiles.conf

```
May 26 10:09:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:746 accept network: enp3s0 172.16.255.254 (Oxfeff10ac)
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:940 setup file : /var/opt/ATFS/ATFSsys-6.31/hardwaremonitor.conf
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1024 (PC_DISTANCE): LOGGING: 0
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1025 (PC_DISTANCE): LOG_INTERVAL: 10
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1026 (PC_DISTANCE): KEEP_INTERVAL: 0
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1027 (PC_DISTANCE): FILE: /var/opt/ATFS/ATFSsys-6.31/pc_distance
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1024 (MOTOR_TORQUE): LOGGING: 0
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1025 (MOTOR_TORQUE): LOG_INTERVAL: 10
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1026 (MOTOR_TORQUE): KEEP_INTERVAL: 0
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1027 (MOTOR_TORQUE): FILE: /var/opt/ATFS/ATFSsys-6.31/pc_distance
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1024 (REALTIME_MONITOR): LOGGING: 0
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1025 (REALTIME_MONITOR): LOG_INTERVAL: 10
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1026 (REALTIME_MONITOR): KEEP_INTERVAL: 0
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1027 (REALTIME_MONITOR): FILE: /var/opt/ATFS/ATFSsys-6.31/rtime_monitor
May 26 10:09:01 t3235 utsc_hardwaremonitor[3523]: notice utsc_hardwaremonitor.c:1315 start : resident mode
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:2058 ** find gpib address
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:2060 addr[0] : 25
May 26 10:09:01 t3235 utsc_gpib_0[3221]: notice utsc_gpib.c:2065 -----
May 26 10:09:02 t3235 utsc_ss[3519]: err ScSsSysmonEmu.c:307 system monitor is not opened.
May 26 10:09:02 t3235 utsc_se[3521]: notice utsc_ss_emu.c:3893 open sysmon id:0, dev:/dev/ttyUSB0
May 26 10:09:02 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:658 initialize: check sum(exp:1) error for communication with system monitor: 4 5
May 26 10:09:02 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:1425 initialize: system monitor illegal protocol: received <F>, when waiting response for write processing.
May 26 10:09:02 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:1524 initialize: read from sysmon(id:0): fd 8: value 0xff
```


May 26 10:09:02 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:1524 initialize: read from sysmon(id:0): fd 8: value 0x55
May 26 10:09:02 t3235 utsc_se[3521]: notice ScSsSysmonLib.c:1524 initialize: read from sysmon(id:0): fd 8: value 0x1
May 26 10:09:02 t3235 utsc_ss[3519]: notice utsc_ss.c:2287 connected with utsc_ss_emu
May 26 10:09:02 t3235 utsc_se[3521]: notice utsc_ss_emu.c:3744 connected with utsc_ss
May 26 10:09:02 t3235 utsc_ss[3519]: notice utsc_ss.c:2295 tester model: AS-Platform
May 26 10:09:04 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: down
May 26 10:09:11 t3235 utsc_calcon[3129]: notice ScCalConCom.c:422 open calcon(/dev/ttyS1): 5
May 26 10:09:11 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 *** ioctl (termio)
May 26 10:09:11 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_iflag = IGNBRK IXON IXOFF IMAXBK
May 26 10:09:11 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_oflag = OPOST
May 26 10:09:11 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_lflag = ISIG ICANON
May 26 10:09:11 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_cflag = CREAD PARENB CLOCAL CS7 B9600
May 26 10:09:21 t3235 utsc_calcon[3129]: notice ScCalConCom.c:552 RS232C: RV doesn't answered normally with both parity bit.
May 26 10:09:21 t3235 utsc_calcon[3129]: notice ScCalConCom.c:422 open calcon(/dev/ttyS1): 5
May 26 10:09:21 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 *** ioctl (termio)
May 26 10:09:21 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_iflag = IGNBRK IXON IXOFF IMAXBK
May 26 10:09:21 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_oflag = OPOST
May 26 10:09:21 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_lflag = ISIG ICANON
May 26 10:09:21 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_cflag = CREAD PARENB PARODD CLOCAL CS7 B9600
May 26 10:09:31 t3235 utsc_calcon[3129]: notice ScCalConCom.c:422 open calcon(/dev/ttyS1): 5
May 26 10:09:31 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 *** ioctl (termio)
May 26 10:09:31 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_iflag = IGNBRK IXON IXOFF IMAXBK
May 26 10:09:31 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_oflag = OPOST

```
May 26 10:09:31 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_lflag = ISIG ICANON
May 26 10:09:31 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_cflag = CREAD PARENB CLOCAL CS7 B9600
May 26 10:09:41 t3235 utsc_calcon[3129]: notice ScCalConCom.c:552 RS232C: ID_CHK doesn't answered normally with both parity bit.
May 26 10:09:41 t3235 utsc_calcon[3129]: notice ScCalConCom.c:563 RS232C: parity bit can't be decided by all commands in /opt/ATFS/i386/linux/ATFSsys-
6.31/etc/calcon_parity.conf
May 26 10:09:41 t3235 utsc_calcon[3129]: notice ScCalConCom.c:422 open calcon(/dev/ttyS1): 5
May 26 10:09:41 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 *** ioctl(termio)
May 26 10:09:41 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_lflag = IGNBRK IXON IXOFF IMAXBK
May 26 10:09:41 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_oflag = OPOST
May 26 10:09:41 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_lflag = ISIG ICANON
May 26 10:09:41 t3235 utsc_calcon[3129]: notice ScCalConCom.c:280 c_cflag = CREAD PARENB CLOCAL CS7 B9600
May 26 10:10:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.3 pid:1386
May 26 10:10:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.3 pid:1386
May 26 10:10:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [i386_linux_SATELLITE] 172.16.128.3 pid:1525
May 26 10:10:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [i386_linux_SATELLITE] 172.16.128.3 pid:1525
May 26 10:10:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.4 pid:1371
May 26 10:10:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.4 pid:1371
May 26 10:10:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [i386_linux_SATELLITE] 172.16.128.4 pid:1510
May 26 10:10:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [i386_linux_SATELLITE] 172.16.128.4 pid:1510
May 26 10:10:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.1 pid:1371
May 26 10:10:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.1 pid:1371
May 26 10:10:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [i386_linux_SATELLITE] 172.16.128.1 pid:1510
May 26 10:10:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [i386_linux_SATELLITE] 172.16.128.1 pid:1510
```

```
May 26 10:10:49 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.2 pid:1372
May 26 10:10:49 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.2 pid:1372
May 26 10:10:49 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [i386_linux_SATELLITE] 172.16.128.2 pid:1511
May 26 10:10:49 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [i386_linux_SATELLITE] 172.16.128.2 pid:1511
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.34 pid:2990
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.34 pid:2990
May 26 10:10:55 satellite002 utsc_ipl[3014]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:740 site file : /advantest/sitenum
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:741 tunit : 0
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:742 tsite : 0
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:743 satellite : 2
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:744 tbus : 0
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:745 server ip address : 172.16.255.254
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:746 server port : 9920
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:747 connect ss mode : 1
May 26 10:10:55 satellite002 UTTB_InterruptServer[3025]: notice UTTB_InterruptServer.c:748 daemon mode : 1
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.34 pid:3044
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.34 pid:3044
May 26 10:10:55 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:10): <ip:172.16.0.34>(SatelliteCpu_2) (ID:2), host:satellite002, mac:00:80:17:8a:71:3b,
netmask:255.255.0.0, date:2021/05/26.10:10:55, rev:2.10(20171019)
May 26 10:10:55 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:412 BOOT SATELLITE:2
May 26 10:10:55 satellite002 bootsite.sh[3078]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.35 pid:2967
```

```
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.35 pid:2967
May 26 10:10:55 satellite003 utsc_ipi[2991]: notice utsc_ipi.c:1923 IPL server is ready.
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:740 site file      : /advantest/sitenum
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:741 tunit        : 0
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:742 tsite         : 0
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:743 satellite     : 3
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:744 tbus          : 0
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:745 server ip address : 172.16.255.254
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:746 server port      : 9920
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:747 connect ss mode  : 1
May 26 10:10:55 satellite003 UTTB_InterruptServer[3002]: notice UTTB_InterruptServer.c:748 daemon mode     : 1
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [hookprograms] 172.16.0.35 pid:3021
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.35 pid:3021
May 26 10:10:55 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:11): <ip:172.16.0.35>(SatelliteCpu_3) (ID:3), host:satellite003, mac:00:80:17:8a:71:83,
netmask:255.255.0.0, date:2021/05/26.10:10:55, rev:2.10(20171019)
May 26 10:10:55 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:412 BOOT SATELLITE:3
May 26 10:10:55 satellite003 bootsite.sh[3055]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [fsdate_command] 172.16.0.36 pid:2975
May 26 10:10:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.36 pid:2975
May 26 10:10:55 satellite004 utsc_ipi[2999]: notice utsc_ipi.c:1923 IPL server is ready.
May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:740 site file      : /advantest/sitenum
May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:741 tunit        : 0
May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:742 tsite         : 0
```

May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:743 satellite : 4
May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:744 tbus : 0
May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:745 server ip address : 172.16.255.254
May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:746 server port : 9920
May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:747 connect ss mode : 1
May 26 10:10:55 satellite004 UTTB_InterruptServer[3010]: notice UTTB_InterruptServer.c:748 daemon mode : 1
May 26 10:10:56 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.36 pid:3029
May 26 10:10:56 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.36 pid:3029
May 26 10:10:56 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:12): <ip:172.16.0.36>(SatelliteCpu_4) (ID:4), host:satellite004, mac:00:80:17:8a:72:1b, netmask:255.255.0.0, date:2021/05/26.10:10:55, rev:2.10(20171019)
May 26 10:10:56 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:412 BOOT SATELLITE:4
May 26 10:10:56 satellite004 bootsite.sh[3063]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:10:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.33 pid:2960
May 26 10:10:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.33 pid:2960
May 26 10:10:58 satellite001 utsc_ipl[2984]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:740 site file : /advantest/sitenum
May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:741 tunit : 0
May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:742 tsite : 0
May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:743 satellite : 1
May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:744 tbus : 0
May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:745 server ip address : 172.16.255.254
May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:746 server port : 9920
May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:747 connect ss mode : 1

May 26 10:10:58 satellite001 UTTB_InterruptServer[2995]: notice UTTB_InterruptServer.c:748 daemon mode : 1

May 26 10:10:59 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.33 pid:3014

May 26 10:10:59 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.33 pid:3014

May 26 10:10:59 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:13): <ip:172.16.0.33>(SatelliteCpu_1)(ID:1), host:satellite001, mac:00:80:17:8a:71:76, netmask:255.255.0.0, date:2021/05/26.10:10:58, rev:2.10(20171019)

May 26 10:10:59 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:412 BOOT SATELLITE:1

May 26 10:10:59 satellite001 bootsite.sh[3048]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:11:15 satellite002 utsc_syn[3064]: notice utsc_syn.c:270 stat(/opt/ATFS/i386/linux)

May 26 10:11:15 satellite003 utsc_syn[3041]: notice utsc_syn.c:270 stat(/opt/ATFS/i386/linux)

May 26 10:11:16 satellite004 utsc_syn[3049]: notice utsc_syn.c:270 stat(/opt/ATFS/i386/linux)

May 26 10:11:19 satellite001 utsc_syn[3034]: notice utsc_syn.c:270 stat(/opt/ATFS/i386/linux)

May 26 10:15:15 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.70 pid:1280

May 26 10:15:15 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.70 pid:1280

May 26 10:15:15 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.70 pid:1359

May 26 10:15:16 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.70 pid:1359

May 26 10:15:21 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.40 pid:1268

May 26 10:15:21 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.40 pid:1268

May 26 10:15:22 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.40 pid:1347

May 26 10:15:22 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.40 pid:1347

May 26 10:15:32 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.48 pid:1273

May 26 10:15:32 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.48 pid:1273

May 26 10:15:32 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.50 pid:1282

May 26 10:15:32 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.50 pid:1282

May 26 10:15:33 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.48 pid:1352
May 26 10:15:33 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.48 pid:1352
May 26 10:15:33 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.50 pid:1361
May 26 10:15:33 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.50 pid:1361
May 26 10:15:33 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.54 pid:1289
May 26 10:15:33 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.54 pid:1289
May 26 10:15:34 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.45 pid:1276
May 26 10:15:34 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.45 pid:1276
May 26 10:15:34 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.54 pid:1368
May 26 10:15:34 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.54 pid:1368
May 26 10:15:34 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.45 pid:1355
May 26 10:15:35 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.45 pid:1355
May 26 10:15:35 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.47 pid:1282
May 26 10:15:35 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.47 pid:1282
May 26 10:15:35 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.49 pid:1272
May 26 10:15:35 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.49 pid:1272
May 26 10:15:35 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.47 pid:1361
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.47 pid:1361
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.49 pid:1351
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.49 pid:1351
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.44 pid:1283
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.44 pid:1283
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.37 pid:1283

May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.37 pid:1283
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.51 pid:1276
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.51 pid:1276
May 26 10:15:36 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.44 pid:1362
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.44 pid:1362
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.39 pid:1277
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.39 pid:1277
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.43 pid:1286
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.43 pid:1286
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.46 pid:1277
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.46 pid:1277
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.42 pid:1288
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.42 pid:1288
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.37 pid:1362
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.37 pid:1362
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.51 pid:1355
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.51 pid:1355
May 26 10:15:37 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.39 pid:1356
May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.39 pid:1356
May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.43 pid:1365
May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.43 pid:1365
May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.46 pid:1356
May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.46 pid:1356

May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.42 pid:1367
May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.42 pid:1367
May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.55 pid:1270
May 26 10:15:38 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.55 pid:1270
May 26 10:15:39 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.55 pid:1349
May 26 10:15:39 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.55 pid:1349
May 26 10:15:39 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.38 pid:1277
May 26 10:15:39 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.38 pid:1277
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.9 pid:2748
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.9 pid:2748
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.60 pid:1276
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.60 pid:1276
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.38 pid:1356
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.38 pid:1356
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.9 pid:2866
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.9 pid:2866
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.52 pid:1278
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.52 pid:1278
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.65 pid:1283
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.65 pid:1283
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.68 pid:1279
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.68 pid:1279
May 26 10:15:40 testsite009 utsc_ipi[2890]: notice utsc_ipi.c:1923 IPL server is ready.

```
May 26 10:15:40 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.60 pid:1355
May 26 10:15:40 testsite009 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:15:40 testsite009 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:15:40 testsite009 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 9
May 26 10:15:40 testsite009 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:15:40 testsite009 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:15:40 testsite009 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:15:40 testsite009 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:15:40 testsite009 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.60 pid:1355
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.9 pid:2920
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.9 pid:2920
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.53 pid:1282
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.53 pid:1282
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.41 pid:1284
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.41 pid:1284
May 26 10:15:41 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:14): <ip:172.16.0.9>(TestSiteCpu_9) (ID:9), host: testsite009, mac:00:50:43:41:11:58,
netmask:255.255.0.0, date:2021/05/26.10:15:40, rev:2.02(20150211)
May 26 10:15:41 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 B00T TP:9, [tunit,tsite] = [1,9]
May 26 10:15:41 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: down
May 26 10:15:41 testsite009 bootsite.sh[2959]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.52 pid:1357
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.52 pid:1357
```

May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.65 pid:1362
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.65 pid:1362
May 26 10:15:41 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.68 pid:1358
May 26 10:15:42 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.68 pid:1358
May 26 10:15:42 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.53 pid:1361
May 26 10:15:42 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.53 pid:1361
May 26 10:15:42 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.41 pid:1363
May 26 10:15:42 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.41 pid:1363
May 26 10:15:43 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.56 pid:1285
May 26 10:15:43 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.56 pid:1285
May 26 10:15:43 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.56 pid:1364
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.56 pid:1364
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.58 pid:1280
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.58 pid:1280
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.61 pid:1279
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.61 pid:1279
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.28 pid:2736
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.28 pid:2736
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.58 pid:1359
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.58 pid:1359
May 26 10:15:44 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.61 pid:1358
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.61 pid:1358
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.62 pid:1273

May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.62 pid:1273
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.59 pid:1272
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.59 pid:1272
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.28 pid:2854
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.28 pid:2854
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.57 pid:1283
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.57 pid:1283
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.66 pid:1281
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.66 pid:1281
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.64 pid:1277
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.64 pid:1277
May 26 10:15:45 testsite028 utsc_ipi[2878]: notice utsc_ipi.c:1923 IPL server is ready.
May 26 10:15:45 testsite028 UTVTC_TesterInterruptDaemon[2889]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:15:45 testsite028 UTVTC_TesterInterruptDaemon[2889]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:15:45 testsite028 UTVTC_TesterInterruptDaemon[2889]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 28
May 26 10:15:45 testsite028 UTVTC_TesterInterruptDaemon[2889]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:15:45 testsite028 UTVTC_TesterInterruptDaemon[2889]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:15:45 testsite028 UTVTC_TesterInterruptDaemon[2889]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:15:45 testsite028 UTVTC_TesterInterruptDaemon[2889]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:15:45 testsite028 UTVTC_TesterInterruptDaemon[2889]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.28 pid:2908
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.28 pid:2908
May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsboot00] 172.16.128.63 pid:1294

May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsboot00] 172.16.128.63 pid:1294

May 26 10:15:45 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:15): <ip:172.16.0.28>(TestSiteCpu_28) (ID:28), host:testsite028, mac:00:50:43:01:79:e4, netmask:255.255.0.0, date:2021/05/26.10:15:44, rev:2.02(20150211)

May 26 10:15:45 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:28, [tunit,tsite] = [1,28]

May 26 10:15:45 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: down

May 26 10:15:45 testsite028 bootsite.sh[2947]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:15:45 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.62 pid:1352

May 26 10:15:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.62 pid:1352

May 26 10:15:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.59 pid:1351

May 26 10:15:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.59 pid:1351

May 26 10:15:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.57 pid:1362

May 26 10:15:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.57 pid:1362

May 26 10:15:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.66 pid:1360

May 26 10:15:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.66 pid:1360

May 26 10:15:46 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.64 pid:1356

May 26 10:15:47 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.64 pid:1356

May 26 10:15:47 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [arm_linux_TP] 172.16.128.63 pid:1373

May 26 10:15:47 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [arm_linux_TP] 172.16.128.63 pid:1373

May 26 10:15:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.3 pid:2741

May 26 10:15:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.3 pid:2741

May 26 10:15:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.25 pid:2750

May 26 10:15:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.25 pid:2750

May 26 10:15:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.3 pid:2859

May 26 10:15:55 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.3 pid:2859

May 26 10:15:56 testsite003 utsc_ipl[2883]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:15:56 testsite003 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:15:56 testsite003 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:15:56 testsite003 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 3

May 26 10:15:56 testsite003 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:15:56 testsite003 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:15:56 testsite003 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:15:56 testsite003 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:15:56 testsite003 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:15:56 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.3 pid:2913

May 26 10:15:56 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.3 pid:2913

May 26 10:15:56 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.25 pid:2868

May 26 10:15:56 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.25 pid:2868

May 26 10:15:56 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:16): <ip:172.16.0.3>(TestSiteCpu_3) (ID:3), host: testsite003, mac:00:50:43:01:41:20, netmask:255.255.0.0, date:2021/05/26.10:15:55, rev:2.02(20150211)

May 26 10:15:56 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:3, [tunit,tsite] = [1,3]

May 26 10:15:56 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: down

May 26 10:15:56 testsite025 utsc_ipl[2892]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:15:56 testsite025 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:15:56 testsite025 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:15:56 testsite025 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 25

May 26 10:15:56 testsite025 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:15:56 testsite025 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:15:56 testsite025 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:15:56 testsite025 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:15:56 testsite025 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:15:56 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.25 pid:2922
May 26 10:15:56 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.25 pid:2922
May 26 10:15:56 testsite003 bootsite.sh[2952]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:15:56 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:17): <ip:172.16.0.25>(TestSiteCpu_25) (ID:25), host: testsite025, mac:00:50:43:03:71:d8,
netmask:255.255.0.0, date:2021/05/26.10:15:55, rev:2.02(20150211)
May 26 10:15:56 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:25, [tunit,tsite] = [1,25]
May 26 10:15:56 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: down
May 26 10:15:57 testsite025 bootsite.sh[2961]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:15:57 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.11 pid:2757
May 26 10:15:57 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.11 pid:2757
May 26 10:15:57 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.21 pid:2744
May 26 10:15:57 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.21 pid:2744
May 26 10:15:57 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.11 pid:2875
May 26 10:15:57 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.11 pid:2875
May 26 10:15:58 testsite011 utsc_ipl[2899]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.21 pid:2862
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.21 pid:2862
May 26 10:15:58 testsite011 UTVTC_TesterInterruptDaemon[2910]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:15:58 testsite011 UTVTC_TesterInterruptDaemon[2910]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:15:58 testsite011 UTVTC_TesterInterruptDaemon[2910]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 11
May 26 10:15:58 testsite011 UTVTC_TesterInterruptDaemon[2910]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:15:58 testsite011 UTVTC_TesterInterruptDaemon[2910]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:15:58 testsite011 UTVTC_TesterInterruptDaemon[2910]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:15:58 testsite011 UTVTC_TesterInterruptDaemon[2910]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:15:58 testsite011 UTVTC_TesterInterruptDaemon[2910]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:15:58 testsite021 utsc_ipi[2886]: notice utsc_ipi.c:1923 IPL server is ready.
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.11 pid:2929
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.11 pid:2929
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.1 pid:2740
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.1 pid:2740
May 26 10:15:58 testsite021 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:15:58 testsite021 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:15:58 testsite021 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 21
May 26 10:15:58 testsite021 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:15:58 testsite021 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:15:58 testsite021 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:15:58 testsite021 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:15:58 testsite021 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:15:58 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:18): <ip:172.16.0.11>(TestSiteCpu_11) (ID:11), host: testsite011, mac:00:50:43:42:0e:60,
netmask:255.255.0.0, date:2021/05/26.10:15:57, rev:2.02(20150211)
May 26 10:15:58 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:11, [tunit,tsite] = [1,11]
May 26 10:15:58 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: down


```
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.29 pid:2750
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.29 pid:2750
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.21 pid:2916
May 26 10:15:58 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.21 pid:2916
May 26 10:15:58 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:19): <ip:172.16.0.21>(TestSiteCpu_21)(ID:21), host:testsite021, mac:00:50:43:c2:45:b0,
netmask:255.255.0.0, date:2021/05/26.10:15:57, rev:2.02(20150211)
May 26 10:15:58 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:21, [tunit,tsite] = [1,21]
May 26 10:15:58 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: down
May 26 10:15:58 testsite011 bootsite.sh[2968]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:15:59 testsite021 bootsite.sh[2955]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:15:59 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.1 pid:2858
May 26 10:15:59 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.1 pid:2858
May 26 10:15:59 testsite001 utsc_ipl[2882]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:15:59 testsite001 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:15:59 testsite001 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:15:59 testsite001 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 1
May 26 10:15:59 testsite001 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:15:59 testsite001 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:15:59 testsite001 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:15:59 testsite001 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:15:59 testsite001 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:15:59 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.29 pid:2868
May 26 10:15:59 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.29 pid:2868
```

May 26 10:15:59 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.1 pid:2912
May 26 10:15:59 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.1 pid:2912
May 26 10:15:59 testsite029 utsc_ipi[2892]: notice utsc_ipi.c:1923 IPL server is ready.
May 26 10:15:59 testsite029 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:15:59 testsite029 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:15:59 testsite029 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 29
May 26 10:15:59 testsite029 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:15:59 testsite029 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:15:59 testsite029 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:15:59 testsite029 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:15:59 testsite029 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:15:59 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:20): <ip:172.16.0.1>(TestSiteCpu_1) (ID:1), host: testsite001, mac:00:50:43:c2:94:18, netmask:255.255.0.0, date:2021/05/26.10:15:58, rev:2.02(20150211)
May 26 10:15:59 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:1, [tunit,tsite] = [1,1]
May 26 10:15:59 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:00 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.29 pid:2922
May 26 10:16:00 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.29 pid:2922
May 26 10:16:00 testsite001 bootsite.sh[2951]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:00 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.13 pid:2751
May 26 10:16:00 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.13 pid:2751
May 26 10:16:00 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:21): <ip:172.16.0.29>(TestSiteCpu_29) (ID:29), host: testsite029, mac:00:50:43:80:f2:f0, netmask:255.255.0.0, date:2021/05/26.10:15:58, rev:2.02(20150211)
May 26 10:16:00 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:29, [tunit,tsite] = [1,29]

May 26 10:16:00 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:00 testsite029 bootsite.sh[2961]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:00 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.20 pid:2751

May 26 10:16:00 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.20 pid:2751

May 26 10:16:00 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.13 pid:2869

May 26 10:16:00 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.13 pid:2869

May 26 10:16:01 testsite013 utsc_ipl[2893]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:16:01 testsite013 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:01 testsite013 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:01 testsite013 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 13

May 26 10:16:01 testsite013 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:01 testsite013 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:01 testsite013 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:01 testsite013 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:01 testsite013 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.13 pid:2923

May 26 10:16:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.13 pid:2923

May 26 10:16:01 testsite009 utsc_syn[2940]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)

May 26 10:16:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.20 pid:2869

May 26 10:16:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.20 pid:2869

May 26 10:16:01 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:22): <ip:172.16.0.13>(TestSiteCpu_13) (ID:13), host: testsite013, mac:00:50:43:42:57:70, netmask:255.255.0.0, date:2021/05/26.10:16:00, rev:2.02(20150211)

May 26 10:16:01 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:13, [tunit,tsite] = [1,13]

May 26 10:16:01 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:01 testsite020 utsc_ipi[2893]: notice utsc_ipi.c:1923 IPL server is ready.

May 26 10:16:01 testsite013 bootsite.sh[2962]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:01 testsite020 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:01 testsite020 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:01 testsite020 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 20

May 26 10:16:01 testsite020 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:01 testsite020 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:01 testsite020 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:01 testsite020 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:01 testsite020 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.19 pid:2745

May 26 10:16:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.19 pid:2745

May 26 10:16:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.20 pid:2923

May 26 10:16:01 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.20 pid:2923

May 26 10:16:01 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:23): <ip:172.16.0.20>(TestSiteCpu_20) (ID:20), host: testsite020, mac:00:50:43:c1:8c:a4, netmask:255.255.0.0, date:2021/05/26.10:16:00, rev:2.02(20150211)

May 26 10:16:01 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:20, [tunit,tsite] = [1,20]

May 26 10:16:01 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:02 testsite020 bootsite.sh[2962]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:02 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.26 pid:2744

May 26 10:16:02 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.26 pid:2744

May 26 10:16:02 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.19 pid:2863

May 26 10:16:02 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.19 pid:2863

May 26 10:16:02 testsite019 utsc_ipl[2887]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:16:02 testsite019 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:02 testsite019 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:02 testsite019 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 19

May 26 10:16:02 testsite019 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:02 testsite019 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:02 testsite019 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:02 testsite019 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:02 testsite019 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:02 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.19 pid:2917

May 26 10:16:02 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.19 pid:2917

May 26 10:16:03 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:24): <ip:172.16.0.19>(TestSiteCpu_19) (ID:19), host: testsite019, mac:00:50:43:c3:2d:a0, netmask:255.255.0.0, date:2021/05/26.10:16:01, rev:2.02(20150211)

May 26 10:16:03 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:19, [tunit, tsite] = [1, 19]

May 26 10:16:03 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.8 pid:2745

May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.8 pid:2745

May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.26 pid:2862

May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.26 pid:2862

May 26 10:16:03 testsite026 utsc_ipl[2886]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:16:03 testsite019 bootsite.sh[2956]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:03 testsite026 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:03 testsite026 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:16:03 testsite026 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 26
May 26 10:16:03 testsite026 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:16:03 testsite026 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:03 testsite026 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:16:03 testsite026 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:16:03 testsite026 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.26 pid:2916
May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.26 pid:2916
May 26 10:16:03 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:25): <ip:172.16.0.26>(TestSiteCpu_26) (ID:26), host: testsite026, mac:00:50:43:01:ce:dc,
netmask:255.255.0.0, date:2021/05/26.10:16:02, rev:2.02(20150211)
May 26 10:16:03 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:26, [tunit,tsite] = [1,26]
May 26 10:16:03 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:03 testsite026 bootsite.sh[2955]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.5 pid:2754
May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.5 pid:2754
May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.8 pid:2863
May 26 10:16:03 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.8 pid:2863
May 26 10:16:04 testsite008 utsc_ipl[2887]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:16:04 testsite008 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:16:04 testsite008 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:16:04 testsite008 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 8
May 26 10:16:04 testsite008 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:04 testsite008 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:04 testsite008 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:16:04 testsite008 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:16:04 testsite008 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.8 pid:2917
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.8 pid:2917
May 26 10:16:04 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:26): <ip:172.16.0.8>(TestSiteCpu_8) (ID:8), host: testsite008, mac:00:50:43:83:71:3c, netmask:255.255.0.0, date:2021/05/26.10:16:03, rev:2.02(20150211)
May 26 10:16:04 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:8, [tunit,tsite] = [1,8]
May 26 10:16:04 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.2 pid:2745
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.2 pid:2745
May 26 10:16:04 testsite008 bootsite.sh[2956]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.30 pid:2756
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.30 pid:2756
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.5 pid:2872
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.5 pid:2872
May 26 10:16:04 testsite005 utsc_ipl[2896]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:16:04 testsite005 UTVTC_TesterInterruptDaemon[2907]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:16:04 testsite005 UTVTC_TesterInterruptDaemon[2907]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:16:04 testsite005 UTVTC_TesterInterruptDaemon[2907]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 5
May 26 10:16:04 testsite005 UTVTC_TesterInterruptDaemon[2907]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:16:04 testsite005 UTVTC_TesterInterruptDaemon[2907]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

```
May 26 10:16:04 testsite005 UTVTC_TesterInterruptDaemon[2907]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port      : 9920
May 26 10:16:04 testsite005 UTVTC_TesterInterruptDaemon[2907]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode  : 1
May 26 10:16:04 testsite005 UTVTC_TesterInterruptDaemon[2907]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode    : 1
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [moduleinfo] 172.16.0.24 pid:2744
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.24 pid:2744
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [hookprograms] 172.16.0.5 pid:2926
May 26 10:16:04 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.5 pid:2926
May 26 10:16:05 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:27): <ip:172.16.0.5>(TestSiteCpu_5) (ID:5), host: testsite005, mac:00:50:43:82:11:30,
netmask:255.255.0.0, date:2021/05/26.10:16:03, rev:2.02(20150211)
May 26 10:16:05 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 B00T TP:5, [tunit,tsite] = [1,5]
May 26 10:16:05 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:05 testsite005 bootsite.sh[2965]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [fsdate_command] 172.16.0.2 pid:2863
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.2 pid:2863
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [fsdate_command] 172.16.0.30 pid:2874
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.30 pid:2874
May 26 10:16:05 testsite002 utsc_ipl[2887]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:16:05 testsite002 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file      : /advantest/sitenum
May 26 10:16:05 testsite002 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit      : 1
May 26 10:16:05 testsite002 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite      : 2
May 26 10:16:05 testsite002 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus      : 0
May 26 10:16:05 testsite002 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:05 testsite002 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port      : 9920
```



```
May 26 10:16:05 testsite002 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:16:05 testsite002 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:16:05 testsite030 utsc_ipi[2898]: notice utsc_ipi.c:1923 IPL server is ready.
May 26 10:16:05 testsite030 UTVTC_TesterInterruptDaemon[2909]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:16:05 testsite030 UTVTC_TesterInterruptDaemon[2909]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:16:05 testsite030 UTVTC_TesterInterruptDaemon[2909]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 30
May 26 10:16:05 testsite030 UTVTC_TesterInterruptDaemon[2909]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:16:05 testsite030 UTVTC_TesterInterruptDaemon[2909]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:05 testsite030 UTVTC_TesterInterruptDaemon[2909]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:16:05 testsite030 UTVTC_TesterInterruptDaemon[2909]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:16:05 testsite030 UTVTC_TesterInterruptDaemon[2909]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.2 pid:2917
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.2 pid:2917
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.30 pid:2928
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.30 pid:2928
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.24 pid:2862
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.24 pid:2862
May 26 10:16:05 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:28): <ip:172.16.0.2>(TestSiteCpu_2) (ID:2), host: testsite002, mac:00:50:43:82:f9:1c,
netmask:255.255.0.0, date:2021/05/26.10:16:04, rev:2.02(20150211)
May 26 10:16:05 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 B00T TP:2, [tunit,tsite] = [1,2]
May 26 10:16:05 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.16 pid:2738
May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.16 pid:2738
```

May 26 10:16:05 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:29): <ip:172.16.0.30>(TestSiteCpu_30) (ID:30), host:testsite030, mac:00:50:43:43:96:f4, netmask:255.255.0.0, date:2021/05/26.10:16:04, rev:2.02(20150211)

May 26 10:16:05 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:30, [tunit,tsite] = [1,30]

May 26 10:16:05 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:05 testsite002 bootsite.sh[2956]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:05 testsite024 utsc_ipl[2886]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:16:05 testsite024 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:05 testsite024 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:05 testsite024 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 24

May 26 10:16:05 testsite024 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:05 testsite024 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:05 testsite024 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:05 testsite024 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:05 testsite024 UTVTC_TesterInterruptDaemon[2897]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:05 testsite030 bootsite.sh[2967]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:05 testsite028 utsc_syn[2928]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)

May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.24 pid:2916

May 26 10:16:05 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.24 pid:2916

May 26 10:16:06 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:30): <ip:172.16.0.24>(TestSiteCpu_24) (ID:24), host:testsite024, mac:00:50:43:42:57:bc, netmask:255.255.0.0, date:2021/05/26.10:16:04, rev:2.02(20150211)

May 26 10:16:06 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:24, [tunit,tsite] = [1,24]

May 26 10:16:06 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:06 testsite024 bootsite.sh[2955]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

```
May 26 10:16:06 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.16 pid:2856
May 26 10:16:06 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.16 pid:2856
May 26 10:16:06 testsite016 utsc_ipl[2880]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:16:06 testsite016 UTVTC_TesterInterruptDaemon[2891]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:16:06 testsite016 UTVTC_TesterInterruptDaemon[2891]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:16:06 testsite016 UTVTC_TesterInterruptDaemon[2891]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 16
May 26 10:16:06 testsite016 UTVTC_TesterInterruptDaemon[2891]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:16:06 testsite016 UTVTC_TesterInterruptDaemon[2891]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:06 testsite016 UTVTC_TesterInterruptDaemon[2891]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:16:06 testsite016 UTVTC_TesterInterruptDaemon[2891]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:16:06 testsite016 UTVTC_TesterInterruptDaemon[2891]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:16:06 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.15 pid:2750
May 26 10:16:06 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.15 pid:2750
May 26 10:16:06 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.16 pid:2910
May 26 10:16:06 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.16 pid:2910
May 26 10:16:06 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:31): <ip:172.16.0.16>(TestSiteCpu_16) (ID:16), host: testsite016, mac:00:50:43:01:a9:7c,
netmask:255.255.0.0, date:2021/05/26.10:16:05, rev:2.02(20150211)
May 26 10:16:06 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:16, [tunit,tsite] = [1,16]
May 26 10:16:06 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:06 testsite016 bootsite.sh[2949]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:07 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.15 pid:2868
May 26 10:16:07 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.15 pid:2868
May 26 10:16:07 testsite015 utsc_ipl[2892]: notice utsc_ipl.c:1923 IPL server is ready.
```

```
May 26 10:16:07 testsite015 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file      : /advantest/sitenum
May 26 10:16:07 testsite015 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit        : 1
May 26 10:16:07 testsite015 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite        : 15
May 26 10:16:07 testsite015 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus          : 0
May 26 10:16:07 testsite015 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:07 testsite015 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port      : 9920
May 26 10:16:07 testsite015 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode  : 1
May 26 10:16:07 testsite015 UTVTC_TesterInterruptDaemon[2903]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode      : 1
May 26 10:16:07 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [hookprograms] 172.16.0.15 pid:2922
May 26 10:16:07 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.15 pid:2922
May 26 10:16:07 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:32): <ip:172.16.0.15>(TestSiteCpu_15) (ID:15), host: testsite015, mac:00:50:43:02:51:78,
netmask:255.255.0.0, date:2021/05/26.10:16:06, rev:2.02(20150211)
May 26 10:16:07 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:15, [tunit,tsite] = [1,15]
May 26 10:16:07 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:07 testsite015 bootsite.sh[2961]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:07 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [moduleinfo] 172.16.0.22 pid:2751
May 26 10:16:07 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.22 pid:2751
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [moduleinfo] 172.16.0.18 pid:2746
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.18 pid:2746
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [moduleinfo] 172.16.0.17 pid:2747
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.17 pid:2747
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [moduleinfo] 172.16.0.7 pid:2752
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.7 pid:2752
```

```
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.22 pid:2869
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.22 pid:2869
May 26 10:16:08 testsite022 utsc_ipi[2893]: notice utsc_ipi.c:1923 IPL server is ready.
May 26 10:16:08 testsite022 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:16:08 testsite022 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:16:08 testsite022 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 22
May 26 10:16:08 testsite022 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:16:08 testsite022 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:08 testsite022 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:16:08 testsite022 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:16:08 testsite022 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.4 pid:2747
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.4 pid:2747
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.22 pid:2923
May 26 10:16:08 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.22 pid:2923
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.18 pid:2864
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.18 pid:2864
May 26 10:16:09 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:33): <ip:172.16.0.22>(TestSiteCpu_22) (ID:22), host: testsite022, mac:00:50:43:c2:d0:b4,
netmask:255.255.0.0, date:2021/05/26.10:16:08, rev:2.02(20150211)
May 26 10:16:09 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 B00T TP:22, [tunit,tsite] = [1,22]
May 26 10:16:09 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.17 pid:2865
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.17 pid:2865
```

May 26 10:16:09 testsite022 bootsite.sh[2962]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:09 testsite018 utsc_ipi[2888]: notice utsc_ipi.c:1923 IPL server is ready.

May 26 10:16:09 testsite017 utsc_ipi[2889]: notice utsc_ipi.c:1923 IPL server is ready.

May 26 10:16:09 testsite018 UTVTC_TesterInterruptDaemon[2899]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:09 testsite018 UTVTC_TesterInterruptDaemon[2899]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:09 testsite018 UTVTC_TesterInterruptDaemon[2899]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 18

May 26 10:16:09 testsite018 UTVTC_TesterInterruptDaemon[2899]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:09 testsite018 UTVTC_TesterInterruptDaemon[2899]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:09 testsite018 UTVTC_TesterInterruptDaemon[2899]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:09 testsite018 UTVTC_TesterInterruptDaemon[2899]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:09 testsite018 UTVTC_TesterInterruptDaemon[2899]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:09 testsite017 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:09 testsite017 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:09 testsite017 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 17

May 26 10:16:09 testsite017 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:09 testsite017 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:09 testsite017 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:09 testsite017 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:09 testsite017 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.7 pid:2870

May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.7 pid:2870

May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.18 pid:2918

May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.18 pid:2918

```
May 26 10:16:09 testsite007 utsc_ipl[2894]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.17 pid:2919
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.17 pid:2919
May 26 10:16:09 testsite007 UTVTC_TesterInterruptDaemon[2905]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:16:09 testsite007 UTVTC_TesterInterruptDaemon[2905]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:16:09 testsite007 UTVTC_TesterInterruptDaemon[2905]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 7
May 26 10:16:09 testsite007 UTVTC_TesterInterruptDaemon[2905]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:16:09 testsite007 UTVTC_TesterInterruptDaemon[2905]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:09 testsite007 UTVTC_TesterInterruptDaemon[2905]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:16:09 testsite007 UTVTC_TesterInterruptDaemon[2905]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:16:09 testsite007 UTVTC_TesterInterruptDaemon[2905]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:16:09 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:34): <ip:172.16.0.18>(TestSiteCpu_18) (ID:18), host: testsite018, mac:00:50:43:81:6e:9c,
netmask:255.255.0.0, date:2021/05/26.10:16:08, rev:2.02(20150211)
May 26 10:16:09 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:18, [tunit,tsite] = [1,18]
May 26 10:16:09 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:09 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:35): <ip:172.16.0.17>(TestSiteCpu_17) (ID:17), host: testsite017, mac:00:50:43:03:f5:98,
netmask:255.255.0.0, date:2021/05/26.10:16:08, rev:2.02(20150211)
May 26 10:16:09 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:17, [tunit,tsite] = [1,17]
May 26 10:16:09 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.7 pid:2924
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.7 pid:2924
May 26 10:16:09 testsite018 bootsite.sh[2957]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:09 testsite017 bootsite.sh[2958]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
```

May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.4 pid:2865
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.4 pid:2865
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.27 pid:2753
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.27 pid:2753
May 26 10:16:09 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:36): <ip:172.16.0.7>(TestSiteCpu_7) (ID:7), host:testsite007, mac:00:50:43:c1:d0:38,
netmask:255.255.0.0, date:2021/05/26.10:16:08, rev:2.02(20150211)
May 26 10:16:09 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:7, [tunit,tsite] = [1,7]
May 26 10:16:09 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:09 testsite004 utsc_ipl[2889]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:16:09 testsite007 bootsite.sh[2963]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:09 testsite004 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum
May 26 10:16:09 testsite004 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1
May 26 10:16:09 testsite004 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 4
May 26 10:16:09 testsite004 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0
May 26 10:16:09 testsite004 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:09 testsite004 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920
May 26 10:16:09 testsite004 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1
May 26 10:16:09 testsite004 UTVTC_TesterInterruptDaemon[2900]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.4 pid:2919
May 26 10:16:09 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.4 pid:2919
May 26 10:16:10 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:37): <ip:172.16.0.4>(TestSiteCpu_4) (ID:4), host:testsite004, mac:00:50:43:c2:b8:24,
netmask:255.255.0.0, date:2021/05/26.10:16:09, rev:2.02(20150211)
May 26 10:16:10 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:4, [tunit,tsite] = [1,4]

May 26 10:16:10 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:10 testsite004 bootsite.sh[2958]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:10 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.27 pid:2871

May 26 10:16:10 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.27 pid:2871

May 26 10:16:10 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.31 pid:2748

May 26 10:16:10 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.31 pid:2748

May 26 10:16:10 testsite027 utsc_ipi[2895]: notice utsc_ipi.c:1923 IPL server is ready.

May 26 10:16:10 testsite027 UTVTC_TesterInterruptDaemon[2906]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:10 testsite027 UTVTC_TesterInterruptDaemon[2906]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:10 testsite027 UTVTC_TesterInterruptDaemon[2906]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 27

May 26 10:16:10 testsite027 UTVTC_TesterInterruptDaemon[2906]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:10 testsite027 UTVTC_TesterInterruptDaemon[2906]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:10 testsite027 UTVTC_TesterInterruptDaemon[2906]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:10 testsite027 UTVTC_TesterInterruptDaemon[2906]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:10 testsite027 UTVTC_TesterInterruptDaemon[2906]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:10 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.27 pid:2925

May 26 10:16:10 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.27 pid:2925

May 26 10:16:10 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:38): <ip:172.16.0.27>(TestSiteCpu_27) (ID:27), host: testsite027, mac:00:50:43:02:b6:e0, netmask:255.255.0.0, date:2021/05/26.10:16:09, rev:2.02(20150211)

May 26 10:16:10 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 B00T TP:27, [tunit,tsite] = [1,27]

May 26 10:16:10 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:11 testsite027 bootsite.sh[2964]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.6 pid:2741

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.6 pid:2741

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.31 pid:2866

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.31 pid:2866

May 26 10:16:11 testsite031 utsc_ipi[2890]: notice utsc_ipi.c:1923 IPL server is ready.

May 26 10:16:11 testsite031 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:11 testsite031 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:11 testsite031 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 31

May 26 10:16:11 testsite031 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:11 testsite031 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:11 testsite031 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:11 testsite031 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:11 testsite031 UTVTC_TesterInterruptDaemon[2901]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.31 pid:2920

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.31 pid:2920

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.10 pid:2740

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.10 pid:2740

May 26 10:16:11 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:39): <ip:172.16.0.31>(TestSiteCpu_31) (ID:31), host: testsite031, mac:00:50:43:80:8a:f8, netmask:255.255.0.0, date:2021/05/26.10:16:10, rev:2.02(20150211)

May 26 10:16:11 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:31, [tunit,tsite] = [1,31]

May 26 10:16:11 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.6 pid:2859

May 26 10:16:11 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.6 pid:2859

May 26 10:16:11 testsite031 bootsite.sh[2959]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

```
May 26 10:16:11 testsite006 utsc_ipl[2883]: notice utsc_ipl.c:1923 IPL server is ready.
May 26 10:16:11 testsite006 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file      : /advantest/sitenum
May 26 10:16:11 testsite006 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit        : 1
May 26 10:16:11 testsite006 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite        : 6
May 26 10:16:11 testsite006 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus         : 0
May 26 10:16:11 testsite006 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:11 testsite006 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port      : 9920
May 26 10:16:11 testsite006 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode  : 1
May 26 10:16:11 testsite006 UTVTC_TesterInterruptDaemon[2894]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode      : 1
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [hookprograms] 172.16.0.6 pid:2913
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.6 pid:2913
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [moduleinfo] 172.16.0.23 pid:2751
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.23 pid:2751
May 26 10:16:12 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:40): <ip:172.16.0.6>(TestSiteCpu_6) (ID:6), host: testsite006, mac:00:50:43:01:31:34,
netmask:255.255.0.0, date:2021/05/26.10:16:11, rev:2.02(20150211)
May 26 10:16:12 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:6, [tunit,tsite] = [1,6]
May 26 10:16:12 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [moduleinfo] 172.16.0.32 pid:2749
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.32 pid:2749
May 26 10:16:12 testsite006 bootsite.sh[2952]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [fsdate_command] 172.16.0.10 pid:2858
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.10 pid:2858
May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start   [moduleinfo] 172.16.0.14 pid:2745
```

May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.14 pid:2745

May 26 10:16:12 testsite010 utsc_ipl[2882]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:16:12 testsite010 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:12 testsite010 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:12 testsite010 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 10

May 26 10:16:12 testsite010 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:12 testsite010 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:12 testsite010 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:12 testsite010 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:12 testsite010 UTVTC_TesterInterruptDaemon[2893]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [moduleinfo] 172.16.0.12 pid:2762

May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [moduleinfo] 172.16.0.12 pid:2762

May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.10 pid:2912

May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.10 pid:2912

May 26 10:16:12 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:41): <ip:172.16.0.10>(TestSiteCpu_10) (ID:10), host: testsite010, mac:00:50:43:82:b0:5c, netmask:255.255.0.0, date:2021/05/26.10:16:11, rev:2.02(20150211)

May 26 10:16:12 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:10, [tunit,tsite] = [1,10]

May 26 10:16:12 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.23 pid:2869

May 26 10:16:12 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.23 pid:2869

May 26 10:16:13 testsite010 bootsite.sh[2951]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.32 pid:2867

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.32 pid:2867

May 26 10:16:13 testsite023 utsc_ipl[2893]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:16:13 testsite023 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:13 testsite023 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:13 testsite023 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 23

May 26 10:16:13 testsite023 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:13 testsite023 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:13 testsite023 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:13 testsite023 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:13 testsite023 UTVTC_TesterInterruptDaemon[2904]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:13 testsite032 utsc_ipl[2891]: notice utsc_ipl.c:1923 IPL server is ready.

May 26 10:16:13 testsite032 UTVTC_TesterInterruptDaemon[2902]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:13 testsite032 UTVTC_TesterInterruptDaemon[2902]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:13 testsite032 UTVTC_TesterInterruptDaemon[2902]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 32

May 26 10:16:13 testsite032 UTVTC_TesterInterruptDaemon[2902]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:13 testsite032 UTVTC_TesterInterruptDaemon[2902]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:13 testsite032 UTVTC_TesterInterruptDaemon[2902]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:13 testsite032 UTVTC_TesterInterruptDaemon[2902]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:13 testsite032 UTVTC_TesterInterruptDaemon[2902]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.14 pid:2863

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.14 pid:2863

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.23 pid:2923

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.23 pid:2923

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.32 pid:2921

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.32 pid:2921

May 26 10:16:13 testsite014 utsc_ipi[2887]: notice utsc_ipi.c:1923 IPL server is ready.

May 26 10:16:13 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:42): <ip:172.16.0.23>(TestSiteCpu_23) (ID:23), host: testsite023, mac:00:50:43:c2:06:b8, netmask:255.255.0.0, date:2021/05/26.10:16:12, rev:2.02(20150211)

May 26 10:16:13 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:23, [tunit,tsite] = [1,23]

May 26 10:16:13 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:13 testsite014 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file : /advantest/sitenum

May 26 10:16:13 testsite014 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit : 1

May 26 10:16:13 testsite014 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite : 14

May 26 10:16:13 testsite014 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus : 0

May 26 10:16:13 testsite014 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254

May 26 10:16:13 testsite014 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port : 9920

May 26 10:16:13 testsite014 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode : 1

May 26 10:16:13 testsite014 UTVTC_TesterInterruptDaemon[2898]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode : 1

May 26 10:16:13 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:43): <ip:172.16.0.32>(TestSiteCpu_32) (ID:32), host: testsite032, mac:00:50:43:41:c8:fc, netmask:255.255.0.0, date:2021/05/26.10:16:12, rev:2.02(20150211)

May 26 10:16:13 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:32, [tunit,tsite] = [1,32]

May 26 10:16:13 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [fsdate_command] 172.16.0.12 pid:2880

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [fsdate_command] 172.16.0.12 pid:2880

May 26 10:16:13 testsite023 bootsite.sh[2962]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.14 pid:2917

May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.14 pid:2917

```
May 26 10:16:13 testsite032 bootsite.sh[2960]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:13 testsite012 utsc_ipi[2904]: notice utsc_ipi.c:1923 IPL server is ready.
May 26 10:16:13 testsite012 UTVTC_TesterInterruptDaemon[2915]: notice UTVTC_TesterInterruptDaemonMain.c:476 site file      : /advantest/sitenum
May 26 10:16:13 testsite012 UTVTC_TesterInterruptDaemon[2915]: notice UTVTC_TesterInterruptDaemonMain.c:477 tunit        : 1
May 26 10:16:13 testsite012 UTVTC_TesterInterruptDaemon[2915]: notice UTVTC_TesterInterruptDaemonMain.c:478 tsite        : 12
May 26 10:16:13 testsite012 UTVTC_TesterInterruptDaemon[2915]: notice UTVTC_TesterInterruptDaemonMain.c:479 tbus          : 0
May 26 10:16:13 testsite012 UTVTC_TesterInterruptDaemon[2915]: notice UTVTC_TesterInterruptDaemonMain.c:480 server ip address : 172.16.255.254
May 26 10:16:13 testsite012 UTVTC_TesterInterruptDaemon[2915]: notice UTVTC_TesterInterruptDaemonMain.c:481 server port      : 9920
May 26 10:16:13 testsite012 UTVTC_TesterInterruptDaemon[2915]: notice UTVTC_TesterInterruptDaemonMain.c:482 connect ss mode  : 1
May 26 10:16:13 testsite012 UTVTC_TesterInterruptDaemon[2915]: notice UTVTC_TesterInterruptDaemonMain.c:483 daemon mode      : 1
May 26 10:16:13 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:44): <ip:172.16.0.14>(TestSiteCpu_14) (ID:14), host: testsite014, mac:00:50:43:82:51:74,
netmask:255.255.0.0, date:2021/05/26.10:16:12, rev:2.02(20150211)
May 26 10:16:13 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:14, [tunit,tsite] = [1,14]
May 26 10:16:13 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:13 testsite014 bootsite.sh[2956]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:428 download: start [hookprograms] 172.16.0.12 pid:2934
May 26 10:16:13 t3235 utsc_bootsite[3522]: notice utsc_bootsite.c:461 download: finished [hookprograms] 172.16.0.12 pid:2934
May 26 10:16:13 t3235 utsc_mon[3520]: notice utsc_mon.c:469 sync(fd:45): <ip:172.16.0.12>(TestSiteCpu_12) (ID:12), host: testsite012, mac:00:50:43:82:ee:64,
netmask:255.255.0.0, date:2021/05/26.10:16:12, rev:2.02(20150211)
May 26 10:16:13 t3235 utsc_ss[3519]: notice ScSsSiteStat.c:348 BOOT TP:12, [tunit,tsite] = [1,12]
May 26 10:16:13 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:930 site1 TP status: booted
May 26 10:16:14 testsite012 bootsite.sh[2973]: [SUCCESS] /dev/shm/ATFSadmin/bootfiles/opt/ATFS/i386/linux/ATFSsys-6.31/etc/boot/bootsite.sh
May 26 10:16:16 testsite003 utsc_syn[2933]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
```

May 26 10:16:16 testsite025 utsc_syn[2942]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:18 testsite011 utsc_syn[2949]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:18 testsite021 utsc_syn[2936]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:19 testsite001 utsc_syn[2932]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:20 testsite029 utsc_syn[2942]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:21 testsite013 utsc_syn[2943]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:21 testsite020 utsc_syn[2943]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:23 testsite019 utsc_syn[2937]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:23 testsite026 utsc_syn[2936]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:24 testsite008 utsc_syn[2937]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:25 testsite005 utsc_syn[2946]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:25 testsite002 utsc_syn[2937]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:25 testsite030 utsc_syn[2948]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:26 testsite024 utsc_syn[2936]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:26 testsite016 utsc_syn[2930]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:27 testsite015 utsc_syn[2942]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:29 testsite022 utsc_syn[2943]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:29 testsite018 utsc_syn[2938]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:29 testsite017 utsc_syn[2939]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:29 testsite007 utsc_syn[2944]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:30 testsite004 utsc_syn[2939]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:30 testsite027 utsc_syn[2945]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:31 testsite031 utsc_syn[2940]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)

May 26 10:16:32 testsite006 utsc_syn[2933]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:32 testsite010 utsc_syn[2932]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:33 testsite023 utsc_syn[2943]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:33 testsite032 utsc_syn[2941]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:33 testsite014 utsc_syn[2937]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:16:33 testsite012 utsc_syn[2954]: notice utsc_syn.c:270 stat(/opt/ATFS/arm/linux)
May 26 10:26:04 t3235 utsc_sigtwr_isa[3649]: notice utsc_sigtwr.c:1208 signal tower is not found: atsigtwr
May 26 10:37:55 t3235 utsc_se[3521]: notice utsc_ss_emu.c:1377 recv interrupt from SYSMONI: STABLE
May 26 10:37:55 t3235 utsc_ss[3519]: notice utsc_ss.c:1132 tester is stable: tunit 0
May 26 11:35:03 t3235 fscompact_memory[7433]: execute /proc/sys/vm/compact_memory.